

Rocket Launches

Take 3-5 minutes and write a few detailed sentences about how all of Newton's 3 Laws applies to rockets from launch to orbit.



Combining Dynamics and Kinematics

We will now be mathematically solving problems that could require one or more of a large selection of equations (review handbook).

$$\vec{F}_{net} = m\vec{a}$$

Involves problems we've done previously with common forces like applied force, gravity and friction.

Involves concepts from kinematics incorporating displacement, velocity, and acceleration.

This section takes practice. Review problem solving strategies. You will have many mathematical problems to solve, but unlike your math class, you will need to determine what equations apply to the problem first.




***very important difference**

Let's do some examples \Rightarrow

Combining Dynamics and Kinematics

An applied force of 50 N is used to accelerate an object to the right across a frictional surface. The object encounters 10 N of friction. The mass of the object is 8.0 kg.

1. Calculate the net force. (40 N)
2. Calculate the acceleration. (~~4.8~~ 5.0 m/s^2)
3. From the initial push, calculate how far the object will travel if the constant force was applied for 12 seconds. (353 m)



$$F_a = 50 \text{ N} \quad m = 8.0 \text{ kg}$$

$$F_f = -10 \text{ N}$$


$$1.) \quad \vec{F}_{net} = \sum \text{ Forces}$$

$$\begin{aligned} F_{net} &= F_a + F_f \\ &= 50 + (-10) \\ &= \underline{\underline{40 \text{ N}}} \end{aligned}$$

$$2.) \quad \vec{a} = ? \quad \vec{F}_{net} = m\vec{a}$$

$$40 = 8a$$

$$\boxed{5.0 \text{ m/s}^2 = \vec{a}}$$



Attachments

forces-and-motion-basics_all.jar

forces-1d_all.jar