

UNIT 1: ELEMENTS AND COMPOUNDS

CHEMICAL NAMES AND FORMULAS

LEARNING TARGET

- Identify, name and write formulas for ionic (binary, multivalent, polyatomic, and hydrates) and molecular compounds, and acids using the IUPAC and classical systems.

ATOMS AND IONS

- Atoms are electrically neutral.
 - Because there is the same number of protons (+) and electrons (-).
- Ions are atoms, or groups of atoms, with a charge (positive or negative)
 - They have *different* numbers of protons and electrons.
- Only *electrons* can move, and **ions** are made by gaining or losing electrons.

AN ANION IS...

- A negative ion.
- Has gained electrons.
- Nonmetals can gain electrons.
- Charge is written as a superscript on the right.

F^{1-} Has gained one electron (-ide is new ending = fluoride)

O^{2-} Gained two electrons (oxide)

A Cation is...

- A positive ion.
- Formed by losing electrons.
- More protons than electrons.
- Metals can lose electrons

K^{1+} Has lost one electron (no name change for positive ions)

Ca^{2+} Has lost two electrons

PREDICTING IONIC CHARGES


Group 1A: Lose 1 electron to form 1+ ions



1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)		114 (289) (287)		116 (289)		

PREDICTING IONIC CHARGES

Group 2A: Loses 2 electrons to form 2+ ions



1 H 1.00794																2 He 4.002602	
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)		114 (289) (287)		116 (289)		

PREDICTING IONIC CHARGES



Group 3A: Loses 3 electrons to form $3+$ ions



1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)			

PREDICTING IONIC CHARGES

Neither! Group 4A elements rarely form ions (they tend to share)

Group 4A: Do they lose 4 electrons or gain 4 electrons?




1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)			

PREDICTING IONIC CHARGES

N^{3-} Nitride
 P^{3-} Phosphide
 As^{3-} Arsenide

Group 5A: Gains 3 electrons to form 3- ions




1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)			

PREDICTING IONIC CHARGES

O^{2-} Oxide
 S^{2-} Sulfide
 Se^{2-} Selenide

Group 6A: Gains 2 electrons to form 2- ions




1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)			114 (289) (287)			116 (289)

PREDICTING IONIC CHARGES

F¹⁻ Fluoride Br¹⁻ Bromide
Cl¹⁻ Chloride I¹⁻ Iodide


**Group 7A: Gains
1 electron to form
1- ions**



1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.998403	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)		114 (289) (287)		116 (289)		

PREDICTING IONIC CHARGES

Group 8A: Stable noble gases do not form ions!




1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.998403	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)		114 (289) (287)		116 (289)		

PREDICTING IONIC CHARGES

Group B elements: Many transition elements have *more than one possible positive ion*.

Note the use of Roman numerals to show charges



1 H 1.00794																	2 He 4.002602														
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797														
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948														
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80														
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29														
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	58 Ce 140.12	59 Pr 140.90765	60 Nd 144.242	61 Pm (145)	62 Sm 150.36	63 Eu 151.964	64 Gd 157.25	65 Tb 158.92535	66 Dy 162.50	67 Ho 164.93033	68 Er 167.259	69 Tm 168.93032	70 Yb 173.054	71 Lu 174.967	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.221	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)																	

NAMING CATIONS

- Two methods can clarify when more than one charge is possible:
 - 1) Stock system – uses **roman numerals** in parenthesis to indicate the numerical value
 - 2) Classical method – uses root word with **suffixes** (-ous, -ic)
 - Does not give true value

NAMING CATIONS

- We will use the Stock system.
- Cation - if the charge is always the same (like in the Group A metals) just write the name of the metal.
- Transition metals can have more than one type of charge.
 - Indicate their charge as a **roman numeral** in parenthesis after the name of the metal (Table 9.2, p.255)

PREDICTING IONIC CHARGES


Some of the post-transition elements also have *more than one* possible ionic charge.

Tin (II) = Sn²⁺

Lead (II) = Pb²⁺

Tin (IV) = Sn⁴⁺

Lead (IV) = Pb⁴⁺



1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)			


PREDICTING IONIC CHARGES

Group B elements: Some **transition** elements have **only one** possible ionic charge, such as these three:

Silver = Ag^{1+}

Zinc = Zn^{2+}

Cadmium = Cd^{2+}



1 H 1.00794																	2 He 4.002602
3 Li 6.941	4 Be 9.012182											5 B 10.811	6 C 12.0107	7 N 14.00674	8 O 15.9994	9 F 18.9984032	10 Ne 20.1797
11 Na 22.989770	12 Mg 24.3050											13 Al 26.981538	14 Si 28.0855	15 P 30.973761	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.955910	22 Ti 47.867	23 V 50.9415	24 Cr 51.9961	25 Mn 54.938049	26 Fe 55.845	27 Co 58.933200	28 Ni 58.6934	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.92160	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.90585	40 Zr 91.224	41 Nb 92.90638	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.90550	46 Pd 106.42	47 Ag 107.8682	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.760	52 Te 127.60	53 I 126.90447	54 Xe 131.29
55 Cs 132.90545	56 Ba 137.327	57 La 138.9055	72 Hf 178.49	73 Ta 180.9479	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.217	78 Pt 195.078	79 Au 196.96655	80 Hg 200.59	81 Tl 204.3833	82 Pb 207.2	83 Bi 208.98038	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 (269)	111 (272)	112 (277)	114 (289) (287)		116 (289)			

EXCEPTIONS:

- Some of the transition metals have only one ionic charge:
 - **Do not** need to use roman numerals for these:
 - Silver is **always** $1+$ (**Ag¹⁺**)
 - Cadmium and Zinc are **always** $2+$ (**Cd²⁺** and **Zn²⁺**)

PRACTICE BY NAMING THESE:

- Na^{1+}
- Ca^{2+}
- Al^{3+}
- Fe^{3+}
- Fe^{2+}
- Pb^{2+}
- Li^{1+}

WRITE SYMBOLS FOR THESE:

- Potassium ion
- Magnesium ion
- Copper (II) ion
- Chromium (VI) ion
- Barium ion
- Mercury (II) ion

NAMING ANIONS

- Anions are always the same charge
- Change the monatomic element ending to – **ide**
- F^{1-} a Fluorine atom will become a Fluoride ion.

PRACTICE BY NAMING THESE:

- Cl^{1-}
- N^{3-}
- Br^{1-}
- O^{2-}
- Ga^{3+}

WRITE SYMBOLS FOR THESE:

- Sulfide ion
- Iodide ion
- Phosphide ion
- Strontium ion


POLYATOMIC IONS ARE...

- Groups of atoms that stay together and have an overall charge, and one name.
- Usually end in **-ate** or **-ite**
- Acetate: $\text{C}_2\text{H}_3\text{O}_2^{1-}$
- Nitrate: NO_3^{1-}
- Nitrite: NO_2^{1-}
- Permanganate: MnO_4^{1-}
- Hydroxide: OH^{1-} and Cyanide: CN^{1-}

Table 9.3 on page 257

- Sulfate: SO_4^{2-}
- Sulfite: SO_3^{2-}
- Carbonate: CO_3^{2-}
- Chromate: CrO_4^{2-}
- Dichromate: $\text{Cr}_2\text{O}_7^{2-}$
- Phosphate: PO_4^{3-}
- Phosphite: PO_3^{3-}
- Ammonium: NH_4^{1+}
(One of the few positive polyatomic ions)

If the polyatomic ion begins with H, then combine the word hydrogen with the other polyatomic ion present:



hydrogen + carbonate \rightarrow hydrogen carbonate ion

REVIEW QUESTIONS

- Page 258
 - #s 3 – 9.
 - Guided Reading Sheet

NAMING AND WRITING FORMULAS FOR IONIC COMPOUNDS

- OBJECTIVES:
 - Apply the rules for *naming and writing formulas* for binary ionic compounds.

NAMING AND WRITING FORMULAS FOR IONIC COMPOUNDS

- OBJECTIVES:
 - Apply the rules for *naming and writing formulas* for compounds containing polyatomic ions.


WRITING IONIC COMPOUND FORMULAS

Example: **Barium nitrate** (note the 2 word name)

1. Write the formulas for the cation and anion, including CHARGES!

2. Check to see if charges are balanced.

3. Balance charges , if necessary, using **subscripts**. Use parentheses if you **need more than one** of a polyatomic ion. **Use the criss-cross method to balance subscripts.**




WRITING IONIC COMPOUND FORMULAS

Example: Ammonium sulfate (note the 2 word name)


1. Write the formulas for the cation and anion, including CHARGES!

2. Check to see if charges are balanced.

3. Balance charges, if necessary, using **subscripts**. Use parentheses if you **need more than one** of a **polyatomic ion**. Use the **criss-cross method** to balance the subscripts.




Now balanced.
Not balanced!



WRITING IONIC COMPOUND FORMULAS

Example: **Iron (III) chloride** (note the 2 word name)


1. Write the formulas for the cation and anion, including CHARGES!
2. Check to see if charges are balanced.
3. Balance charges, if necessary, using **subscripts**. Use parentheses if you **need more than one** of a polyatomic ion. Use the *criss-cross* method to balance the subscripts.



WRITING IONIC COMPOUND FORMULAS

Example: Aluminum sulfide (note the 2 word name)

1. Write the formulas for the cation and anion, including CHARGES!
2. Check to see if charges are balanced.
3. Balance charges , if necessary, using **subscripts**. Use parentheses if you **need more than one** of a polyatomic ion. Use the **criss-cross method** to balance the subscripts.



Not balanced!

Now balanced.



WRITING IONIC COMPOUND FORMULAS

Example: **Magnesium carbonate** (note the 2 word name)

1. Write the formulas for the cation and anion, including CHARGES!

2. Check to see if charges are balanced.



They are balanced!



WRITING IONIC COMPOUND FORMULAS

Example: Zinc hydroxide (note the 2 word name)

1. Write the formulas for the cation and anion, including CHARGES!
2. Check to see if charges are balanced.
3. Balance charges , if necessary, using **subscripts**. Use parentheses if you **need more than one** of a polyatomic ion. Use the **criss-cross method to balance the subscripts**.



Not balanced!



Now balanced.

WRITING IONIC COMPOUND FORMULAS

Example: **Aluminum phosphate** (note the 2 word name)

1. Write the formulas for the cation and anion, including CHARGES!

2. Check to see if charges are balanced.



They ARE balanced!



NAMING IONIC COMPOUNDS

- 1. Name the cation first, then anion
- 2. Monatomic cation = name of the element



- 3. Monatomic anion = root + -ide



NAMING IONIC COMPOUNDS

(Metals with multiple oxidation states)

- some metals can form more than one charge (usually the transition metals)
- use a Roman numeral in their name:

PbCl_2 – use the anion to find the charge on the cation (chloride is always 1-)

Pb^{2+} is the lead (II) cation

PbCl_2 = lead (II) chloride

THINGS TO LOOK FOR:

- 1) If cations have (), the number in parenthesis is their charge.
- 2) If anions end in **-ide** they are probably off the periodic table (Monoatomic)
- 3) If anion ends in **-ate** or **-ite**, then it is polyatomic

PRACTICE BY WRITING THE FORMULA OR NAME AS REQUIRED...

- Iron (II) Phosphate
- Stannous Fluoride
- Potassium Sulfide
- Ammonium Chromate
- MgSO_4
- FeCl_3

PRACTICE

- Page 267
 - #s 17 – 19.
 - Chapter 9.2 practice problems from worksheet.

FORMATIVE REVIEW

- Write the formula for the following ionic compounds:
 - Aluminum Perchlorate
 - Lead (IV) Sulfide
 - Calcium Hydroxide
- Write the names of the following ionic compounds:
 - LiF
 - Ra(CN)₂
 - Cr₂Se₃

NAMING AND WRITING FORMULAS FOR MOLECULAR COMPOUNDS

- OBJECTIVES:
 - Interpret the *prefixes* in the names of **molecular compounds** in terms of their chemical formulas.

NAMING AND WRITING FORMULAS FOR MOLECULAR COMPOUNDS

- OBJECTIVES:
 - Apply the rules for naming and writing formulas for binary molecular compounds.

MOLECULAR COMPOUNDS ARE...

- made of just ***nonmetals***
- smallest piece is a molecule
- can't be held together by opposite charge attraction
- can't use charges to figure out how many of each atom (there are *no charges present*)

MOLECULAR COMPOUNDS ARE EASIER!

- Ionic compounds use *charges* to determine how many of each.
 - You have to figure out charges.
 - May need to criss-cross numbers.
- Molecular compounds: the **name tells you** the number of atoms.
 - Uses **prefixes** to tell you the exact number of each element present!

PREFIXES (TABLE 9.4, P.269)

- 1 = mono-
- 2 = di-
- 3 = tri-
- 4 = tetra-
- 5 = penta-
- 6 = hexa-
- 7 = hepta-
- 8 = octa-

PREFIXES

- 9 = nona-
- 10 = deca-
- To write the name, write two words:

Prefix name **-ide**

- One exception is we don't write **mono** if there is only one of the first element.

PRACTICE BY NAMING THESE:

- N_2O = dinitrogen monoxide
(also called nitrous oxide or laughing gas)
- NO_2 = nitrogen dioxide
- Cl_2O_7 = dichlorine heptoxide
- CBr_4 = carbon tetrabromide
- CO_2 = carbon dioxide
- BaCl_2 (This one will not use prefixes, since it is an ionic compound!)

WRITE FORMULAS FOR THESE:

- diphosphorus pentoxide
- tetraiodine nonoxide
- sulfur hexafluoride
- nitrogen trioxide
- carbon tetrahydride
- phosphorus trifluoride
- aluminum chloride (Ionic compound)

PRACTICE

- Page 270
 - #s 20 – 25.

NAMING AND WRITING FORMULAS FOR ACIDS AND BASES

- OBJECTIVES:
 - Apply three rules for naming acids.

NAMING AND WRITING FORMULAS FOR ACIDS AND BASES

- OBJECTIVES:
 - Apply the rules in reverse to write formulas of acids.

NAMING AND WRITING FORMULAS FOR ACIDS AND BASES

- OBJECTIVES:
 - Apply the rules for naming bases.

ACIDS ARE...

- Compounds that give off hydrogen ions (H^{1+}) when dissolved in water
(the Arrhenius definition)
- Will start the formula with H.
- There will always be some Hydrogen next to an anion.
- The **anion** determines the name.

RULES FOR NAMING ACIDS: NAME IT AS A NORMAL COMPOUND FIRST

- 1) If the anion attached to hydrogen ends in **-ide**, put the prefix **hydro-** and change **-ide** to **-ic acid**
 - HCl - hydrogen ion and chloride ion = **hydrochloric acid**
 - H₂S hydrogen ion and sulfide ion = **hydrosulfuric acid**

NAMING ACIDS

- If the anion has oxygen in it, then it ends in -ate or -ite
- 2) change the suffix **-ate** to **-ic acid** (use no prefix)
 - Example: HNO_3 Hydrogen and nitrate ions = **Nitric acid**
- 3) change the suffix **-ite** to **-ous acid** (use no prefix)
 - Example: HNO_2 Hydrogen and nitrite ions = **Nitrous acid**

NAMING ACIDS

Normal ending	Acid name is...
_____-ide	hydro-_____-ic acid
_____-ate	_____-ic acid
_____-ite	_____-ous acid

2 ADDITIONAL RULES (NOT MENTIONED IN THE BOOK)

- 4) If the acid has 1 more oxygen than the -ic acid, add the prefix **per-**
- HClO_3 (Hydrogen Chlorate) is chloric acid
 - HClO_4 would be perchloric acid
- 5) If there is 1 less oxygen than the -ous acid, add the prefix **hypo-**
- HClO_2 (Hydrogen Chlorite) is chlorous acid, then HClO would be hypochlorous acid

PRACTICE BY NAMING THESE:



WRITING ACID FORMULAS – IN REVERSE!

- Hydrogen will be listed first
- The name will tell you the anion
- Be sure the charges cancel out.
- Starts with prefix hydro?- there is no oxygen, **-ide** ending for anion
- no prefix hydro?
 - 1) **-ate** anion comes from **-ic** ending
 - 2) **-ite** anion comes from **-ous** ending

WRITE FORMULAS FOR THESE:

- hydroiodic acid
- acetic acid
- carbonic acid
- phosphorous acid
- hydrobromic acid

NAMES AND FORMULAS FOR BASES

- A base is an ionic compound that produces hydroxide ions (OH^{1-}) when dissolved in water (the Arrhenius definition)
- Bases are named the same way as other ionic compounds:
 - The name of the cation (which is a metal) is followed by the name of the anion (which will be **hydroxide**).

NAMES AND FORMULAS FOR BASES

- NaOH is sodium hydroxide
- Ca(OH)₂ is calcium hydroxide
- To write the formula:
 - 1) Write the symbol for the metal cation
 - 2) followed by the formula for the hydroxide ion (OH¹⁻)
 - 3) then use the criss-cross method to balance the charges.

PRACTICE BY WRITING THE FORMULA FOR THE FOLLOWING:

- Magnesium hydroxide
- Iron (III) hydroxide
- Zinc hydroxide

SUMMARY OF NAMING AND FORMULA WRITING

- For naming, follow the flowchart-
Figure 9.20, page 277
- For writing formulas, follow the
flowchart from Figure 9.22, page
278

HELPFUL TO REMEMBER...

1. In an ionic compound, the net ionic charge is zero (criss-cross method)
2. An -ide ending generally indicates a binary compound
3. An -ite or -ate ending means there is a polyatomic ion that has oxygen
4. Prefixes generally mean molecular; they show the number of each atom

HELPFUL TO REMEMBER...

5. A Roman numeral after the name of a cation is the ionic charge of the cation

End of Chapter 9