



ACCELERATION

MATHEMATICAL & GRAPHICAL ANALYSIS

ACCELERATION

- The change in velocity per unit time.
- Vector
- Units = m/s^2

CONCEPTUAL UNDERSTANDING

- T/F Acceleration and velocity act in the same direction.
- T/F An object can have an instantaneous velocity of zero and an acceleration that is not zero.
- T/F An object can accelerate while keeping a constant speed.
- T/F If an object returns to the starting point, its average acceleration is zero.
- T/F An object can experience a non-zero acceleration and keep a constant velocity.
- T/F When an object changes direction from east to west, its acceleration is zero for an instant.

MATHEMATICAL ACCELERATION PROBLEMS.

- A car is initially traveling 20 m/s [E] . It then accelerates to 32 m/s [E] in 3.5 seconds. Calculate the acceleration of the car.
 - Step 1: Set up a coordinate system.
 - Step 2: Reread and list known & wanted quantities. Make quantities relative to the positive direction if necessary.
 - If given no initial position information, initial position is zero.
 - Step 3: Check for a formula using only the known and wanted quantities.
 - If there are none, check if a different variable can be calculated with given values.
 - Step 4: Plug 'n chug – place known values in to the equation and solve.
 - Step 5: Check answer conceptually – does the value and direction make sense?

SOLVING FOR FINAL VELOCITY

- A car is initially moving 15 m/s [E] and accelerates at $3.5 \text{ m/s}^2 \text{ [E]}$ for 9.2 seconds . Calculate the car's final velocity.
 - Check mentally first!

SOLVING FOR INITIAL VELOCITY

- A plane accelerates to 175 m/s [E] under an acceleration of 15 m/s^2 in 10 seconds. Calculate the initial velocity of the plane.
 - Check mentally first!

THE DREADED SOLVING FOR TIME PROBLEM

- Calculate how long it would take a person to accelerate from 5.0 m/s [E] to 35 m/s [E] averaging an acceleration of $1.8 \text{ m/s}^2 \text{ [E]}$.
 - Again, conceptually think about it first.

ACCELERATION WORKSHEET

- Objects do not change direction.
 - Omit #5

ACCELERATION: CHANGING DIRECTIONS

- A baseball is thrown 15 m/s [W] and 5.6 s later it is moving 21 m/s [E]. Calculate the average acceleration of the baseball.

ACCELERATION: THROWN OBJECTS

- A dime is thrown upwards with a velocity of 35 m/s . Calculate the velocity of the dime 5.0 seconds later (no air resistance).


ACCELERATION & POSITION

- A car is initially traveling 20 m/s [E] . It then accelerates to 32 m/s [E] in 3.5 seconds.
 - a) Calculate the average acceleration.
 - b) Calculate the final position of the car at that time.

SO...MANY...QUESTIONS

- An object initially moving 35 m/s [E] experiences an acceleration at $8.5 \text{ m/s}^2 \text{ [W]}$. Calculate the time it will take the object to have a final position of 175 m [W] .

GRAPHICAL ANALYSIS OF VELOCITY - TIME



GRAPHICAL ANALYSIS OF VELOCITY - TIME

