### **Significant Figures**

#### Rules for Counting Sig. Fig.



1. All non-zero digits are significant

- 2. Zeroes
- a) zeroes between non-zero digits are significant Ex.507(3) 50007(5)
- b) leading zeroes are not significant Ex. 0.00004 (1) 0.005504 (4)
- c) Trailing zeroes to the right of a number are significant if the number has a decimal point. If the number ends in zero and has no decimal point, we assume that the trailing zeroes are not significant.

Ex. 480.0 (4 sig figs) Ex. 4800 (2 sig figs)

4800.

#### How many significant figures in the following?

- a) 38.4703 mL sig. figs b) 0.0052 g sig. figs c) 0.05700 s sig. figs d) 6.19 x 10<sup>8</sup> years sig. figs

# **Significant Figures and Calculations**

### 1. Multiplication and Division

The result of the operation is reported as having as many significant figures as the measurement with the fewest significant figures.

/ 32.3492

Ex. 
$$(6.221 \text{ cm}) \times (5.2 \text{ cm}) = 32 \text{ cm}^2$$

#### 2. Addition and Subtraction

The result of the operation is reported to the same number of **decimal places** as that of the term with the least number of **decimal places**.

# **Measuring Matter**

All forms of matter are normally measured by count, mass or volume.

**Mole (mol)** - SI unit for measuring the amount of a substance A mole of any substance contains 6.02 x 10<sup>23</sup> representative particles.

6.02 x 10<sup>23</sup> is referred to as Avagadro's number

Representative particles refers to the species present in a substance, usually atoms, molecules or formula units.

Fe O<sub>2</sub> NaCl

Ex. one mole of atoms =  $6.02 \times 10^{23}$  atoms one mole of molecules =  $6.02 \times 10^{23}$  molecules

## **Converting Number of Particles to Moles**

$$moles = representative \ particles \times \frac{1 \ mole}{6.02 \times 10^{23} \ representative \ particles}$$

Ex. How many moles are found in 1.60 x 10<sup>18</sup> atoms of silicon?