Significant Figures

Rules for Counting Sig. Fig.

- 1. All non-zero digits are significant
- 2. Zeroes
- a) zeroes between non-zero digits are significant Ex. 507
- b) leading zeroes are not significant Ex. 0.00004
- c) Trailing zeroes to the right of a number are significant if the number has a decimal point. If the number ends in zero and has no decimal point, we assume that the trailing zeroes are not significant.

Ex. 480.0 (4 sig figs)

Ex. 4800 (2 sig figs)

How many significant figures in the following?

- a) 38.4703 mL sig. figs b) 0.0052 g sig. figs
- c) 0.05700 s ___ sig. figs d) 6.19 x 10⁸ years ___ sig. figs

Significant Figures and Calculations

1. Multiplication and Division

The result of the operation is reported as having as many significant figures as the measurement with the fewest significant figures.

Ex.
$$(6.221 \text{ cm}) \text{ x } (5.2 \text{ cm}) =$$

2. Addition and Subtraction

The result of the operation is reported to the same number of **decimal places** as that of the term with the least number of **decimal places**.

Measuring Matter

All forms of matter are normally measured by count, mass or volume.

Mole (mol) - SI unit for measuring the amount of a substance A mole of any substance contains 6.02×10^{23} representative particles.

6.02 x 10²³ is referred to as Avagadro's number

Representative particles refers to the species present in a substance, usually atoms, molecules or formula units.

Fe O₂ NaCl

Ex. one mole of atoms = 6.02×10^{23} atoms one mole of molecules = 6.02×10^{23} molecules

Converting Number of Particles to Moles

$$moles = representative \ particles \times \frac{1 \ mole}{6.02 \times 10^{23} \ representative \ particles}$$

Ex. How many moles are found in 1.60 x 10¹⁸ atoms of silicon?

 $1.60 \times 10^{8} \text{ others } S_{i} \times \underline{\qquad \qquad | mol S_{i} = 6.02 \times 10^{23} \text{ others } S_{i}}$ $2.66 \times 10^{-6} \text{ mol } S_{i}$

0.000002657 2.66 × 106

Converting Moles to Number of Particles

 $representative \ particles = moles \times \frac{6.02 \times 10^{23} \ representative \ particles}{1 \ mole}$

Ex. How many molecules are found in 3.40 mol of sugar? ((GH2Ob)

3.40 mol Cotto x 6.00x1023 molecules Cotto = 2.05 x 1024

molecules Cotto molecules Cotto molecules Cotto Co

Ex. How many atoms are found in 4.17 mol of propane (C_3H_8) ?

4.17 mol Catte x 6.02x10 molecules GHz I atoms

(mol Catte) molecules GHz

= 2.76x10²⁵ atoms

How many moles are in 2.14 x 10²⁴ molecules of NO₂?

How many atoms are in 8.08 moles of C₃H₈?

p. 291 #3,4

p. 292 #5,6