

Chapter
5

Chapter 5

PRACTICE TEST

Assignment

**Complete pgs. 306 - 307
Questions 1-6,7,8,13,14,15**

Solutions

SOLUTIONS => Ch.5 - Practice Test

1. What is the entire radical form of $-3(\sqrt[3]{2})$?

$$\begin{aligned} &\hookrightarrow -3(\sqrt[3]{2}) \quad \text{Option} \Rightarrow "B" \\ &= \sqrt[3]{(-3)^3(2)} \\ &= \sqrt[3]{(-27)(2)} \\ &= \sqrt[3]{-54} \end{aligned}$$

2. What is the condition on the variable in $2\sqrt{-7n}$ for the radicand to be a real number?

$$\begin{aligned} &\hookrightarrow 2\sqrt{-7n}, \quad -7n \geq 0 \quad \text{Option} \Rightarrow "D" \\ &\quad \frac{-7}{-7} \quad n \leq 0 \end{aligned}$$

3. What is the simplest form of the sum $-2x\sqrt{6x} + 5x\sqrt{6x}$, $x \geq 0$?

$$\begin{aligned} &\hookrightarrow -2x\sqrt{6x} + 5x\sqrt{6x} \quad \text{Option} \Rightarrow "C" \\ &= 3x\sqrt{6x} \end{aligned}$$

4. What is the product of $\sqrt{540}$ and $\sqrt{6y}$, $y \geq 0$, in simplest form?

$$\begin{aligned} &\hookrightarrow \sqrt{540} \times \sqrt{6y} \quad \text{Option} \Rightarrow "D" \\ &= \sqrt{3240y} \\ &= \sqrt{(2)(2)(2)(3)(3)(3)(3)(5)y} \\ &= (2)(3)(3)\sqrt{(2)(5)y} \\ &= 18\sqrt{10y} \end{aligned}$$

Solutions

5. Determine any root of the equation, $x+7 = \sqrt{23-x}$, where $x \leq 23$.

$$\hookrightarrow (x+7)^2 = (\sqrt{23-x})^2 \quad \text{Option} \Rightarrow \text{"B"}$$

$$x^2 + 14x + 49 = 23 - x$$

$$x^2 + 14x + x + 49 - 23 = 0$$

$$x^2 + 15x + 26 = 0$$

$$(x+2)(x+13) = 0$$

$$x+2=0 \text{ or } x+13=0$$

$$x=-2 \quad x=-13$$

↓

Extraneous

6. Suppose $\frac{5}{7}\sqrt{\frac{3}{2}}$ is written in simplest

form as $a\sqrt{b}$, where a is a real number and b is an integer. What is the value of b ?

$$\hookrightarrow \frac{5}{7}\sqrt{\frac{3}{2}} \quad \text{Option} \Rightarrow \text{"C"}$$

$$= \frac{5}{7} \cdot \frac{\sqrt{3}}{\sqrt{2}} \cdot \frac{\sqrt{2}}{\sqrt{2}}$$

$$= \frac{5}{7} \cdot \frac{\sqrt{6}}{2}$$

$$= \frac{5\sqrt{6}}{14}$$

$$= \frac{5\sqrt{6}}{14}$$

Solutions

7. Order the following numbers from least to greatest:

$$\begin{aligned} & 3\sqrt{11}, 5\sqrt{6}, 9\sqrt{2}, \sqrt{160} \\ & = \sqrt{(3)^2(11)} \quad = \sqrt{(5)^2(6)} \quad = \sqrt{(9)^2(2)} \quad = \sqrt{160} \\ & = \sqrt{(9)(11)} \quad = \sqrt{(25)(6)} \quad = \sqrt{(81)(2)} \\ & = \sqrt{99} \quad = \sqrt{150} \quad = \sqrt{162} \end{aligned}$$

In order from least to greatest:
 $3\sqrt{11}, 5\sqrt{6}, \sqrt{160}, 9\sqrt{2}$

8. Express as a radical in simplest form.

$$\begin{aligned} & (2\sqrt{5n})(3\sqrt{8n}), n \geq 0 \\ & = \frac{6\sqrt{40n^2}}{1-12\sqrt{2}} \\ & = \frac{6\sqrt{(2)(2)(2)(5)(n)(n)}}{1-12\sqrt{2}} \\ & = \frac{6(2)(n)\sqrt{10}}{1-12\sqrt{2}} \\ & = \frac{12n\sqrt{10}}{1-12\sqrt{2}} \cdot \frac{(1+12\sqrt{2})}{(1+12\sqrt{2})} \\ & = \frac{12n\sqrt{10} + 144n\sqrt{20}}{1 - 144(2)} \\ & = \frac{12n\sqrt{10} + 144n\sqrt{(2)(2)(5)}}{1-288} \\ & = \frac{12n\sqrt{10} + 288n\sqrt{5}}{-287} \\ & = \frac{-12n\sqrt{10} - 288n\sqrt{5}}{287} \end{aligned}$$

Solutions

13. You wish to rationalize the denominator in each expression. By what number will you multiply each expression? Justify your answer.

a) $\frac{4}{\sqrt{6}}$, you would multiply by $\sqrt{6}$.

b) $\frac{22}{\sqrt{y-3}}$, you would multiply by $\sqrt{y-3}$

c) $\frac{2}{\sqrt[3]{7}}$, you would multiply by $(\sqrt[3]{7})^2$
 \downarrow
 $\sqrt[3]{49}$

14. For diamonds of comparable quality, the cost, C , in dollars, is related to the mass, m , in carats, by the formula

$m = \sqrt{\frac{C}{700}}$, $C \geq 0$. What is the cost of a 3-carat diamond?

$$3 = \sqrt{\frac{C}{700}}$$

$$(3)^2 = \left(\sqrt{\frac{C}{700}}\right)^2$$

$$9 = \frac{C}{700}$$

$$9(700) = C$$

$$\$6300 = C$$

Solutions

15. Teya tries to rationalize the denominator in the expression $\frac{5\sqrt{2} + \sqrt{3}}{4\sqrt{2} - \sqrt{3}}$. Is Teya correct?

If not, identify and explain any errors she made.

Teya's Solution

$$\begin{aligned}\frac{5\sqrt{2} + \sqrt{3}}{4\sqrt{2} - \sqrt{3}} &= \left(\frac{5\sqrt{2} + \sqrt{3}}{4\sqrt{2} - \sqrt{3}} \right) \left(\frac{4\sqrt{2} + \sqrt{3}}{4\sqrt{2} + \sqrt{3}} \right) \\ &= \frac{20\sqrt{4} + 5\sqrt{6} + 4\sqrt{6} + \sqrt{9}}{32 - 3} \\ &= \frac{40 + 9\sqrt{6} + 3}{32 - 3} \\ &= \frac{43 + 9\sqrt{6}}{29}\end{aligned}$$

* Teya's Solution is correct!