

Questions From Homework

$$\textcircled{1} \text{ b) } x^3 - 9x + 14 \quad \begin{array}{r} -3 \\ -3 \\ \hline -7 \\ -9 \end{array} = 14 \\ (x-1)(x-2)$$

$$\textcircled{1} \text{ f) } 6y^3 - 11y + 3 \quad \begin{array}{r} -2 \\ -2 \\ \hline -9 \\ -11 \end{array} = 18 \\ (y-\frac{1}{2})(y-\frac{9}{6})$$

$$(y-\frac{1}{3})(y-\frac{3}{2})$$

$$(3y-1)(2y-3)$$

1, 8, 27, 64, 125, ... perfect cubes

$$\textcircled{2} \text{ c) } t^3 + 64 \quad a^3 + b^3 = (a+b)(a^2 - ab + b^2) \\ (t+4)(t^2 - 4t + 16)$$

$$\text{b) } x^3 - 1 \quad a^3 - b^3 = (a-b)(a^2 + ab + b^2) \\ (x-1)(x^2 + x + 1)$$

$$\textcircled{3} \text{ a) } (x^3 - x^2 - 16x + 16) \\ x^2(x-1) - 16(x-1) \\ (x-1)(x^2 - 16) \quad \begin{array}{l} \text{Diff of square} \\ a^2 - b^2 = (a-b)(a+b) \end{array} \\ (x-1)(x+4)(x-4)$$

$$\textcircled{3} \text{ d) } x^3 + 2x^2 - 11x - 12 \quad x = -1 \\ (-1)^3 + 2(-1)^2 - 11(-1) - 12 \quad (x+1) \text{ is a factor} \\ -1 + 2 + 11 - 12$$

$$\begin{array}{c|ccccc} & & & 0 & \\ & & & & \frac{1}{4}x^3 - b \\ & & & & + -3 = 1 \\ \hline x+1 & \overline{x^3 + 2x^2 - 11x - 12} & & & (x+1)(x^2 + x - 12) \\ & - \underline{(x^3 + x^2)} & & & (x+1)(x+4)(x-3) \\ & \underline{-x^2 - 11x - 12} & & & \\ & - \underline{(x^2 + x)} & & & \\ & \underline{-12x - 12} & & & \\ & - \underline{(-12x - 12)} & & & \end{array}$$

Questions From Homework

① e) $5x^3 + \underline{3}x + 6$ $\begin{array}{r} 10 \times 3 = 30 \\ 10 + 3 = \underline{\underline{13}} \end{array}$
 $(x + \frac{10}{5})(x + \frac{3}{5})$
 $(x+2)(5x+3)$

① g) $t^3 + 2t^2 - 3t$ $\begin{array}{r} -1 \times 3 = -3 \\ -1 + 3 = \underline{\underline{2}} \end{array}$
 $t(t^2 + \underline{2t} - 3)$
 $t(t-1)(t+3)$

③ h) $x^6 + 8$ $a^3 + b^3 = (a+b)(a^2 - ab + b^2)$
 $(x^3 + 2)(x^4 - 2x^2 + 4)$

② g) $x^4 - 16$
 $(x^2 + 4)(x^2 - 4)$
 $(x^2 + 4)(x+2)(x-2)$

③ b) $x^3 + 0x^2 - 7x + 6$ $x=1$
 $(1)^3 + 0(1)^2 - 7(1) + 6$ $(x-1)$ is a factor
 $1 + 0 - 7 + 6$
 0

$$\begin{array}{r} x-1 \overline{)x^3 + 0x^2 - 7x + 6} \\ \underline{- (x^3 - x^2)} \\ x^2 - 7x + 6 \\ \underline{- (x^2 - x)} \\ - 6x + 6 \\ \underline{- (-6x + 6)} \\ 0 \end{array}$$

$(x-1)(x^2 + x - 6)$ $(x-1)(x+3)(x-2)$

Synthetic Substitution

Factor using synthetic substitution $x^3 - 7x^2 - 4x + 28$

Find a value of x that makes it equal 0

$$(2)^3 - 7(2)^2 - 4(2) + 28 \\ 8 - 28 - 8 + 28 = 0$$

(x-value)

2
↓

(Coefficients of the polynomial)

$$\begin{array}{r} 1 & -7 & -4 & 28 \\ \underline{2} & & -10 & -28 \\ \hline 1 & -5 & -14 & \end{array}$$

Bring down the first coefficient

Multiply the first coefficient by the x-value and place under the second coefficient. ADD.

Repeat the steps. The coefficients of the other factor are in the bottom row.

$$(x-2)(x^2 - 5x - 14)$$

$$\begin{array}{r} -7 \\ \hline -7 + 2 = -5 \end{array}$$

$$(x-2)(x-7)(x+2)$$

$$\begin{aligned} & (x^3 - 7x^2)(4x + 28) \\ & x^2(x-7) - 4(x-7) \\ & (x-7)(x^2 - 4) \\ & (x-7)(x+2)(x-2) \end{aligned}$$

$$x^3 + 5x^2 - 2x - 24 \quad \text{Find a value of } x \text{ that makes it equal 0}$$

$$\begin{aligned} (-3)^3 + 5(-3)^2 - 2(-3) - 24 \\ -27 + 45 + 6 - 24 = 0 \end{aligned}$$

(x-value)

-3

(Coefficients of the polynomial)

$$\begin{array}{r} 1 & 5 & -2 & -24 \\ & -3 & -6 & 8 \\ \hline & 1 & 2 & -8 \end{array}$$



$$(x+3)(x^2 + 2x - 8)$$

$$(x+3)(x-2)(x+4)$$

$$\begin{aligned} \underline{-3} & \times \underline{4} = -8 \\ \underline{-3} & + \underline{4} = 1 \end{aligned}$$

Homework

②) a) $x^3 - 4x^2 + x + 6 = 0$ $x = -1$ is a root

$$(-1)^3 - 4(-1)^2 + (-1) + 6 = 0$$

$$-1 - 4 - 1 + 6 = 0$$

$$0 = 0$$

③) a) $(x^3 - x^2 - 14x + 24) \div (x - 2)$

$$\begin{array}{r} 2 | & 1 & -1 & -14 & 24 \\ & \underline{-2} & \underline{2} & \underline{-24} \\ & 1 & 1 & -12 \end{array}$$

$$(x-2)(x^2 + x - 12)$$

$$(x-2)(x+4)(x-3)$$

Types of polynomials:

1 term \rightarrow monomial

2 terms \rightarrow binomial

3 terms \rightarrow trinomial

4 or more \rightarrow polynomial

Find the product:

$$(x+2)(2x^3 + 3x^2 - 4x + 4)$$

$$= \underline{2x^3} + \underline{3x^2} - \underline{4x} + \underline{4x^3} + \underline{6x} - \underline{8}$$

$$= \underline{2x^3} + \underline{7x^2} + \underline{2x} - \underline{8}$$

Factor:

$$\underline{2x^3} + \underline{7x^2} + \underline{6}$$

$$(x+3)(x+2)$$

$$(2x+3)(x+2)$$

$$\frac{3+4}{3 \times 4} = 7$$

$$1 \times 12$$

$$2 \times 6$$

$$3 \times 4$$

Solve:

$$2x^3 + 7x^2 + 6 = 0 \quad \frac{3+4}{3 \times 4} = 7$$

$$(x+3)(x+4) = 0$$

$$(2x+3)(x+2) = 0$$

$$2x+3=0 \quad x+2=0$$

$$2x=-3 \quad x=-2$$

$$x = -\frac{3}{2}$$

Solve for y

$$-5y + 8 \geq y - 7$$

$$-5y - y \geq -7 - 8$$

$$\frac{-6y}{-6} \geq \frac{-15}{-6}$$

$$y \leq \frac{15}{6}$$

$$y \leq \frac{5}{2}$$

$$x^4 + \underline{6x^3} + \underline{8} = 0$$

$$(x^3 + 2)(x^3 + 4) = 0$$

$$\cancel{x^3 + 2 = 0} \quad | \quad \cancel{x^3 + 4 = 0}$$

$$\cancel{x^3 = -2} \quad | \quad \cancel{x^3 = -4}$$

$$\underline{2} + \underline{4} = \underline{6}$$

$$\underline{2} \times \underline{4} = \underline{8}$$

$$\begin{matrix} 8 \\ 1 \times 8 \\ \textcircled{2 \times 4} \end{matrix}$$