

# Questions from Homework

③ c)  $\lim_{x \rightarrow 4} \frac{(x-4)(\sqrt{x}+2)}{(\sqrt{x}-2)(\sqrt{x}+2)}$

$\lim_{x \rightarrow 4} \frac{\cancel{(x-4)}(\sqrt{x}+2)}{\cancel{(x-4)}} = 4$

d)  $\lim_{x \rightarrow 0} \frac{4(2+x)^2 \cdot \frac{1}{(2+x)^2} - \frac{1}{4} \cdot (4)(2+x)^2}{x(4)(2+x)^2}$

CD. =  $\frac{(4)(2+x)^2}{(4)(2+x)^2}$

$\lim_{x \rightarrow 0} \frac{4 - (2+x)^2}{4x(2+x)^2}$  ← Diff. of Squares


$\lim_{x \rightarrow 0} \frac{(2 - (2+x))(2 + (2+x))}{4x(2+x)^2}$

$\lim_{x \rightarrow 0} \frac{(-x)(4+x)}{4x(2+x)^2} = \frac{-4}{16} = -\frac{1}{4}$

↳  $\frac{(-1)(4+0)}{4(1)(2+0)^2}$

②  $f(x) = \begin{cases} |x| & x < 0 \\ 3 & 0 \leq x \leq 3 \\ (x-3)^2 + 1 & x > 3 \end{cases}$

$x$	$f(x)$	$x$	$f(x)$	$x$	$f(x)$
0	0	0	3	3	1
-1	1	1	3	4	2
-2	2	2	3	5	5
-3	3	3	3	6	10



Discontinuous at  $x = 0, 3$

$f(3) = 3$

$\lim_{x \rightarrow 3} f(x) = \text{DNE}$

# Questions from Homework

$$\lim_{x \rightarrow 0} \frac{(x+4)^3 - 64}{x} \leftarrow \begin{array}{l} \text{diff} \\ \text{of cubes} \end{array} \begin{array}{l} (a^3 - b^3) \\ (a-b)(a^2 + ab + b^2) \end{array}$$

$$\lim_{x \rightarrow 0} \frac{[(x+4)^3 - 64]}{x} = \frac{[(x+4)^2 + 4(x+4) + 16]}{1}$$

$$\lim_{x \rightarrow 0} \frac{[x] [(x+4)^2 + 4(x+4) + 16]}{x} = 16 + 16 + 16 = 48$$

# Limits at Infinity



What exactly is infinity?

- It is the *process* of making a value arbitrarily large or small


$+\infty$   $\longrightarrow$  Positive Infinity...process of becoming arbitrarily large

$-\infty$   $\longrightarrow$  Negative Infinity...process of becoming arbitrarily small

**4 Definition** Let  $f$  be a function defined on some interval  $(a, \infty)$ . Then

$$\lim_{x \rightarrow \infty} f(x) = L$$

means that the values of  $f(x)$  can be made as close to  $L$  as we like by taking  $x$  sufficiently large.



**FIGURE 9**


Examples illustrating  $\lim_{x \rightarrow \infty} f(x) = L$

Have a look at these limits...

$$\lim_{x \rightarrow \infty} \frac{1}{x} = 0$$

$$\lim_{x \rightarrow -\infty} \frac{1}{x} = 0$$

"As  $x$  gets larger  
 $y$  gets closer and  
closer to 0"



In general...

---

**7** If  $n$  is a positive integer, then

$$\lim_{x \rightarrow \infty} \frac{1}{x^n} = 0$$

$$\lim_{x \rightarrow -\infty} \frac{1}{x^n} = 0$$

---

## Calculating limits at infinity without using a graph

### • Rational Functions

*Note: If every term in a rational expression is divided by the same value, the rational expression will still be equal to it's original value*

$$\frac{12+8}{6-2} = \frac{20}{4} = 5 \xrightarrow{\text{Divide the numerator and denominator by 2}} \frac{6+4}{3-1} = \frac{10}{2} = 5$$

This will be important when evaluating limits for rational functions approaching infinity...

Look at the following example:

$$\lim_{x \rightarrow \infty} \frac{3x^2 - x - 2}{5x^2 + 4x + 1} = \lim_{x \rightarrow \infty} \frac{\frac{3x^2 - x - 2}{x^2}}{\frac{5x^2 + 4x + 1}{x^2}} = \lim_{x \rightarrow \infty} \frac{3 - \frac{1}{x} - \frac{2}{x^2}}{5 + \frac{4}{x} + \frac{1}{x^2}}$$

Divide every term by the HIGHEST power that is present in either the numerator or denominator of the rational expression once they are expanded

$$= \frac{3 - 0 - 0}{5 + 0 + 0}$$

$$= \frac{3}{5}$$

$$= 0.6$$

\* For limits at infinity compare the degree of the numerator with the degree of the denominator

This graph below validates our solution:




FIGURE 14

$$y = \frac{3x^2 - x - 2}{5x^2 + 4x + 1}$$

- Remember

If the highest degree is in the denominator then the *Limit* will be equal to 0

$$\lim_{x \rightarrow \infty} \frac{x^2 + 6x + 8}{x^3 + 8} = 0$$

If the highest degree is in the numerator then the *Limit* will not exist.

$$\lim_{x \rightarrow \infty} \frac{1 - 3x^4}{x^2 + 2x + 1} = \text{DNE}$$

If the degree is the same in the numerator and denominator then the *Limit* will be equal to the coefficients in front of the highest degree.

$$\lim_{x \rightarrow \infty} \frac{(x+4)(x-2)}{1 - 2x + 3x^2}$$

$$\lim_{x \rightarrow \infty} \frac{1x^2 + 2x - 8}{1 - 2x + 3x^2} = \frac{1}{3}$$

Evaluate the following limit:

$$\lim_{n \rightarrow \infty} \frac{n^2 - n}{2n^2 + 1} = \frac{1}{2}$$

$$\lim_{n \rightarrow \infty} \frac{1 - n^5}{1 + 2n^5} = -\frac{1}{2}$$

$$\lim_{n \rightarrow \infty} \frac{4n^i}{n^o} = \text{DNE}$$

$$\lim_{x \rightarrow \infty} \frac{-3(x^2 - 4)^2}{3 - 5x^2} = \text{DNE}$$

$$\lim_{x \rightarrow \infty} \frac{-3(x^4 - 8x^2 + 16)}{3 - 5x^2}$$

$$\lim_{x \rightarrow \infty} \frac{-3x^4 + 24x^2 - 48}{3 - 5x^2} = \text{DNE}$$

# Homework