

Chapter 4.1  
Exploring the Primary  
Trigonometric Ratios of  
Obtuse Angles

**GOAL**

Determine the relationships between the primary trigonometric ratios of acute and obtuse angles.

① hypotenuse


across from right angle

③ adjacent

next to or beside  $\theta$

② opposite

across from  $\theta$



Trigonometric Ratios

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos \theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$


Tricks to remember trig ratios:

① Oscar Had Another Helping Of Apples  
 P P J P J y P  
 P P J P J y P  
 sin  $\theta$  cos  $\theta$  tan  $\theta$

② SOH, CAH, TOA

Until now we've only been using primary trigonometric ratios, for only acute angles.

$$\frac{\sin(A)}{a} = \frac{\sin(B)}{b} = \frac{\sin(C)}{c}$$



$$\frac{a}{\sin(A)} = \frac{b}{\sin(B)} = \frac{c}{\sin(C)}$$

$$\begin{aligned} a^2 &= b^2 + c^2 - 2bc \cos A \\ b^2 &= a^2 + c^2 - 2ac \cos B \\ c^2 &= a^2 + b^2 - 2ab \cos C \end{aligned}$$

$$\begin{aligned} \cos A &= \frac{b^2 + c^2 - a^2}{2bc} \\ \cos B &= \frac{a^2 + c^2 - b^2}{2ac} \\ \cos C &= \frac{a^2 + b^2 - c^2}{2ab} \end{aligned}$$

When we've been looking for the missing side lengths or angle measurements we've been using the sine or cosine laws to determine those measurements in acute oblique triangles (all acute angles).

Joe investigated the values of the primary trigonometric ratios for obtuse angles. Using a calculator, he determined that the value of  $\sin 100^\circ$  is 0.9848...

He knew that he could not create a right triangle with a  $100^\circ$  angle. However, he knew that he could create a triangle using the supplement of  $100^\circ$ , which is  $80^\circ$ . Out of curiosity, he evaluated  $\sin 80^\circ$  and determined that it has the same value, 0.9848...

Joe decided to broaden his investigation. He created a table like the one below.

obtuse angles are greater than  $90^\circ$



$\theta$	<u><math>\sin \theta</math></u>	<u><math>\cos \theta</math></u>	<u><math>\tan \theta</math></u>	$(180^\circ - \theta)$	<u><math>\sin (180^\circ - \theta)</math></u>	<u><math>\cos (180^\circ - \theta)</math></u>	<u><math>\tan (180^\circ - \theta)</math></u>
$100^\circ$	0.9848	-0.1736	-5.671	$80^\circ$	0.9848	0.1736	5.671
$110^\circ$	0.9397	-0.342	-2.747	$70^\circ$	0.9397	0.342	2.747
$120^\circ$	0.8660	-0.5	-1.732	$60^\circ$	0.8660	0.5	1.732
$130^\circ$	0.7660	-0.6428	-1.192	$50^\circ$	0.7660	0.6428	1.192
$140^\circ$	0.6428	-0.7660	-0.839	$40^\circ$	0.6428	0.7660	0.839
$150^\circ$	0.5	-0.8660	-0.577	$30^\circ$	0.5	0.8660	0.577
$160^\circ$	0.342	-0.9397	-0.364	$20^\circ$	0.342	0.9397	0.364
$170^\circ$	0.1736	-0.9848	-0.176	$10^\circ$	0.1736	0.9848	0.176
$180^\circ$	0	-1	0	0	0	1	0

↑  
supplement

①  $\sin \theta = \sin (180^\circ - \theta)$

②  $\cos \theta = -\cos (180^\circ - \theta)$

③  $\tan \theta = -\tan (180^\circ - \theta)$

**Answer**

$\theta$	$\sin \theta$	$\cos \theta$	$\tan \theta$	$(180^\circ - \theta)$	$\sin (180^\circ - \theta)$	$\cos (180^\circ - \theta)$	$\tan (180^\circ - \theta)$
$100^\circ$	0.9848	-0.1736	-5.6713	$80^\circ$	0.9848	0.1736	5.6713
$110^\circ$	0.9397	-0.3420	-2.7475	$70^\circ$	0.9397	0.3420	2.7475
$120^\circ$	0.8660	-0.5000	-1.7321	$60^\circ$	0.8660	0.5000	1.7321
$130^\circ$	0.7660	-0.6428	-1.1918	$50^\circ$	0.7660	0.6428	1.1918
$140^\circ$	0.6428	-0.7660	-0.8391	$40^\circ$	0.6428	0.7660	0.8391
$150^\circ$	0.5000	-0.8660	-0.5774	$30^\circ$	0.5000	0.8660	0.5774
$160^\circ$	0.3420	-0.9397	-0.3640	$20^\circ$	0.3420	0.9397	0.3640
$170^\circ$	0.1736	-0.9848	-0.1763	$10^\circ$	0.1736	0.9848	0.1763
$180^\circ$	0	-1	0	$0^\circ$	0	1	0

The sine ratios for supplementary angles are equal.

The cosine and tangent ratios for supplementary angles are opposites.

To keep in mind:

$$\sin\theta = \sin(180^\circ - \theta)$$

$$\cos\theta = -\cos(180^\circ - \theta)$$

$$\tan\theta = -\tan(180^\circ - \theta)$$

### In Summary

#### Key Idea

- There are relationships between the value of a primary trigonometric ratio for an acute angle and the value of the same primary trigonometric ratio for the supplement of the acute angle.

#### Need to Know

- For any angle  $\theta$ ,  
 $\sin \theta = \sin (180^\circ - \theta)$   
 $\cos \theta = -\cos (180^\circ - \theta)$   
 $\tan \theta = -\tan (180^\circ - \theta)$

**Assignment: page 163 (1, 2, 3)**

SOLUTIONS  $\Rightarrow$  4.1 Exploring the Primary Trigonometric Ratios of Obtuse Angles

1. Which of the following equations are valid? Give reasons for your choices.

a)  $\sin 25^\circ = \sin 65^\circ$

This is not valid.

$$\sin 25^\circ = \sin (180^\circ - 25^\circ)$$

$$\sin 25^\circ = \sin 155^\circ$$

b)  $\cos 70^\circ = -\cos 110^\circ$

This is valid.

$$* \cos \theta = -\cos (180^\circ - \theta)$$

c)  $\tan 46^\circ = \tan 134^\circ$

This is not valid.

$$\tan 46^\circ = -\tan (180^\circ - 46^\circ)$$

$$\tan 46^\circ = -\tan (134^\circ)$$



$$d) \sin 122^\circ = \sin 58^\circ$$

This is valid

$$* \sin \theta = \sin (180^\circ - \theta)$$

$$e) \cos 135^\circ = \cos 45^\circ$$

This is not valid.

$$\cos 135^\circ = -\cos (180^\circ - 135^\circ)$$

$$\cos 135^\circ = -\cos 45^\circ$$

$$f) \tan 175^\circ = -\tan 5^\circ$$

This is valid

$$* \tan \theta = -\tan (180^\circ - \theta)$$

2. Calculate each ratio to four decimal places. Predict another angle that will have an equal or opposite trigonometric ratio. Check your prediction.

a)  $\sin 15^\circ$

$$\sin 15^\circ = 0.2588$$

$$\sin 0 = \sin(180^\circ - 0)$$

$$\sin 15^\circ = \sin(180^\circ - 15^\circ)$$

$$\sin 15^\circ = \sin 165^\circ$$

$$\text{Check: } \sin 165^\circ = 0.2588 \checkmark$$

b)  $\cos 62^\circ$

$$\cos 62^\circ = 0.4695$$

$$\cos 0 = -\cos(180^\circ - 0)$$

$$\cos 62^\circ = -\cos(180^\circ - 62^\circ)$$

$$\cos 62^\circ = -\cos 118^\circ$$

$$\text{Check: } -\cos 118^\circ = 0.4695 \checkmark$$

c)  $\tan 35^\circ$

$$\tan 35^\circ = 0.7002$$

$$\tan \theta = -\tan(180^\circ - \theta)$$

$$\tan 35^\circ = -\tan(180^\circ - 35^\circ)$$

$$\tan 35^\circ = -\tan 145^\circ$$

$$\text{Check: } -\tan 145^\circ = 0.7002 \checkmark$$

d)  $\sin 170^\circ$

$$\sin 170^\circ = 0.1736$$

$$\sin \theta = \sin(180^\circ - \theta)$$

$$\sin 170^\circ = \sin(180^\circ - 170^\circ)$$

$$\sin 170^\circ = \sin 10^\circ$$

$$\text{Check: } \sin 10^\circ = 0.1736 \checkmark$$

3. Determine two angles between  $0^\circ$  and  $180^\circ$  that have each sine ratio.

a) 0.64

$$\sin \theta = 0.64$$

$$\theta = \sin^{-1}(0.64)$$

$$\theta = 40^\circ$$

$$\sin \theta = \sin(180^\circ - \theta)$$

$$\sin 40^\circ = \sin(180^\circ - 40^\circ)$$

$$\sin 40^\circ = \sin 140^\circ$$

The two angles are  $40^\circ$  and  $140^\circ$

b)  $\frac{1}{3}$

$$\sin \theta = 0.3333$$

$$\theta = \sin^{-1}(0.3333)$$

$$\theta = 19^\circ$$

$$\sin \theta = \sin(180^\circ - \theta)$$

$$\sin 19^\circ = \sin(180^\circ - 19^\circ)$$

$$\sin 19^\circ = \sin 161^\circ$$

The two angles are  $19^\circ$  and  $161^\circ$

c) 0.95.

$$\begin{aligned}\sin \theta &= 0.95 \\ \theta &= \sin^{-1}(0.95) \\ \theta &= 72^\circ\end{aligned}$$

$$\begin{aligned}\sin \theta &= \sin(180^\circ - \theta) \\ \sin 72^\circ &= \sin(180^\circ - 72^\circ) \\ \sin 72^\circ &= \sin 108^\circ\end{aligned}$$

The two angles are  $72^\circ$  and  $108^\circ$ .

d)  $\frac{7}{23}$ 

$$\begin{aligned}\sin \theta &= 0.3043 \\ \theta &= \sin^{-1}(0.3043) \\ \theta &= 18^\circ\end{aligned}$$

$$\begin{aligned}\sin \theta &= \sin(180^\circ - \theta) \\ \sin 18^\circ &= \sin(180^\circ - 18^\circ) \\ \sin 18^\circ &= \sin 162^\circ\end{aligned}$$

The two angles are  $18^\circ$  and  $162^\circ$ .

