

## Questions from Homework

$$f(x) = \frac{x^2 - 4}{x^2 - 1} = \frac{(x-2)(x+2)}{(x-1)(x+1)} \quad \textcircled{1} \text{ Roots } x = -2, 2$$

② V.A.

$$x = -1, 1$$

③ H.A.


$$y = 1$$

④ Holes:

None

⑤ y int.

$$y = 4$$



\* Check Behaviour near the V.A.

$$x = -1$$

$$\lim_{x \rightarrow -1^-} f(x) = -\infty$$

(test -1.1)

$$\lim_{x \rightarrow -1^+} f(x) = +\infty$$

(test -0.9)

$$x = 1$$

$$\lim_{x \rightarrow 1^-} f(x) = +\infty$$

(test 0.9)

$$\lim_{x \rightarrow 1^+} f(x) = -\infty$$

(test 1.1)

## Rational Functions Continued

We will explore the properties of rational functions of this form so we can predict the locations of vertical, horizontal, and oblique asymptotes. We will also be able to identify the roots of the function and any other points of discontinuity (holes).

$$y = \frac{(x+2)(x+3)}{(x-1)}$$

$$y = \frac{(x+2)(x+3)}{(x+2)}$$

$$y = \frac{x^2 + 2x - 3}{x^2 + 3x - 4}$$

$$f(x) = \frac{4x}{x^2 - 4}$$

### Roots

Are given by the zeroes of the numerator.

### Vertical Asymptotes:

Are given by the zeroes of the denominator

### Horizontal Asymptotes:

If the numerator and denominator have the same degree, then the horizontal asymptote is given by the quotient of the leading coefficients of the numerator and denominator.

If the degree of the denominator is greater than that of the numerator, then the horizontal asymptote is given by  $y = 0$ .

If the degree of the denominator is less than that of the numerator, then there is **no** horizontal asymptote (*an oblique asymptote exists*).

### Holes

Occur when the same factor is in the numerator and the denominator.

### Oblique Asymptotes:

A line with a finite, non-zero slope that a graph approaches at extreme values but never crosses. They occur when the degree of the numerator is one greater than the degree of the denominator and can be determined by dividing the numerator by the denominator (ignoring the remainder).

We can use the factor theorem (long division) or synthetic substitution

**This table shows whether a factor of a rational function results in a vertical asymptote, a root, or another point of discontinuity (hole).**

| Type of Factor  | Vertical Asymptote    | Hole                  | Zero of Function |
|---|-----------------------|-----------------------|------------------|
| Appears in numerator only                                       |                       |                       | Zero of factor   |
| Appears in denominator only                                     | Zero of factor        |                       |                  |
| Appears in numerator and (to equal or lesser power) denominator |                       | Zero of common factor |                  |
| Appears in numerator and (to a greater power) denominator       | Zero of common factor |                       |                  |

**This table below shows whether a rational function has a horizontal or oblique asymptote.**

| Type of Equation   | Horizontal Asymptote   | Oblique Asymptote   |
|--|--|---|
| Degree of numerator is equal to degree of denominator      | Given by quotient of leading coefficients in numerator and denominator |   |
| Degree of numerator is less than degree of denominator     | $y = 0$  |   |
| Degree of numerator is one more than degree of denominator |  | The equation can be found by examining the quotient of numerator and denominator (ignoring the remainder) |

## Simplifying Rational Expressions


Use LCD!



$$\frac{1}{x-3} + \frac{x+1}{x^2-x-6}$$

$$\frac{1}{(x-3)} + \frac{x+1}{(x-3)(x+2)}$$

$$\frac{x+2}{(x-3)(x+2)} + \frac{x+1}{(x-3)(x+2)}$$


$$\frac{2x+3}{(x-3)(x+2)}$$

The values of  $x$  that make it undefined

State Restrictions

$$x \neq -2, 3$$

## Simplifying Rational Expressions

$$\frac{x^2 - 3x}{x^3 - 2x^2 - 3x} \div \frac{x-3}{x^2 + 3x + 2}$$

$$\frac{x(x-3)}{x(x^2 - 2x - 3)} \div \frac{(x-3)}{(x+2)(x+1)}$$

$$\frac{\cancel{x}(\cancel{x-3})}{\cancel{x}(\cancel{x-3})(\cancel{x+1})} \times \frac{(x+2)(\cancel{x+1})}{(x-3)}$$

$$\frac{x+2}{x-3}$$

Restrictions:  
 $x \neq -1, 0, 3$


## Simplifying Rational Expressions

$$\frac{\frac{1}{x} + \frac{1}{y}}{\frac{1}{x} - \frac{1}{y}}$$

$$\frac{\frac{y}{xy} + \frac{x}{xy}}{\frac{y}{xy} - \frac{x}{xy}}$$

$$\frac{\frac{y+x}{xy}}{\frac{y-x}{xy}}$$

$$\frac{y+x}{\cancel{xy}} \times \frac{\cancel{xy}}{y-x}$$


$$\frac{y+x}{y-x}$$

Restrictions:

$$x \neq 0$$

$$y \neq 0, x$$

$$y-x \neq 0$$
$$y \neq x$$



## Solving Rational Equations

Solve

$$\frac{x+6}{x^2-4} = \frac{2}{x-2} + \frac{x}{x+2}$$

# Homework